



**Papier A4 EVERCOPY PREMIUM FSC 80g 100% recyclé**

**1P3000101**

Multifonction  
Recyclé



**ZERO  
PLASTIC**

EVERCOPY  
PREMIUM



[www.blauer-engel.de/uz14a](http://www.blauer-engel.de/uz14a)



The mark of  
responsible forestry



Please collect used  
paper for recycling

Blancheur **135 CIE**

**80** g/m<sup>2</sup>

Format	Nb Feuilles / Unité	Poids Unité	Nb Unités / Caisse	Poids Caisse	Format Palette L x l (cm)	Nb Unités / Palette	Poids Palette	Article	QMC**
	<b>500</b>	<b>2,50</b>	<b>5</b>	<b>12,50</b>	<b>67 x 94</b>	<b>200</b>	<b>500</b>	<b>1902C</b>	<b>C</b>
A4 210 x 297	500	2,50	5	12,50	120 x 80	240	600	1902P240C	P

Grammage	g/m <sup>2</sup>	80	90	100	NF EN ISO 536
Épaisseur	µm	100	113	125	NF EN ISO 534
Main	cm <sup>3</sup> /g	1.25	1.25	1.25	NF EN ISO 534
Blancheur	CIE ISO	135 100	135 100	135 100	NF ISO 11475 ISO 2470-2
Rugosité Bendtsen	ml/min	250	250	250	ISO 8791-2
Opacité	%	95	96	97	NF ISO 2471
Permanence					DIN 6738 CL 24-25



# evercopy

## LES PAPIERS RECYCLÉS



- ✓ Papiers déclinés dans une gamme de 5 blancheurs. Qualité d'impression et passage machine semblables aux fibres vierges.
- ✓ Parfaite utilisation en bureautique : copie, laser et jet d'encre.
- ✓ CO<sub>2</sub> Neutral Biomass Energy® grâce à une production de vapeur à partir d'énergie 100 % biomasse (plaquette forestière) nécessaire au séchage du papier.
- ✓ Pour le format A4, emballage 100% papier barrière contre l'humidité, sans film polyéthylène et recyclable dans les vieux papiers.



www.blauer-engel.de/uz14a



www.blauer-engel.de/uz14a



Please collect used paper for recycling



The mark of responsible forestry

ISO 9001 ✓

ISO 14001 ✓

ISO 50001 ✓



paper profile



**Clairefontaine**

Change Picture to your Cert.

PRODUCT CLAIREFONTAINE Papers

COMPANY PAPETERIES DE CLAIREFONTAINE

MILL ETIVAL-CLAIREFONTAINE - FRANCE

Information gathered from 01/01/2022 to 31/12/2022 Date of issue 28/09/2023

## PRODUCT ENVIRONMENTAL DATASHEET FOR PAPER

### ENVIRONMENTAL MANAGEMENT

Certified environmental management system at ISO 14001 - ISO 50001

Company systems ensure traceability of the origin of wood: YES  NO  100% RECOVERED PAPER  NO

FSC Certificate number: BV-COC-050902

PEFC Certificate number: BV/CdC/070504

Some ranges are European Ecolabel and/or Blue Angel certified.

### ENVIRONMENTAL PARAMETERS

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include pulp and paper production.


Water	Parameter	Value	Unit
	COD	7.96	kg/tonne
	AOX	0.07	kg/tonne
	NTot	0.07	kg/tonne
	PTot	0.02	kg/tonne

Air	Parameter	Value	Unit
	SO2	0.09	kg/tonne
	NOx	1.29	kg/tonne
	CO2 (fossil)	487	kg/tonne

Solid waste landfilled 0\* BDkg/tonne

Purchased electricity consumption  
/tonne of final product 1131 kWh

### PRODUCT COMPOSITION



This product contains biomass carbon, equivalent to 1423 kg of CO2 per tonne of product.