

# **OVERVIEW**



1. Nano-SIM card slot *	6. USB 3.2 Gen 1 (Always On)
2. Thunderbolt 4	7. USB-C 3.2 Gen 2
3. USB 3.2 Gen 1	8. Kensington Nano Security Slot
4. Headphone / microphone combo jack (3.5mm)	9. Smart card reader *
5. HDMI	

#### Notes

• Items with \* are only available on selected models



# **PERFORMANCE**

## **Processor**

### **Processor Family**

13th Generation Intel® U Series Core™ i3 / i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency Max Frequency		Cache	Processor Graphics
Core i3-1315U	6 (2 P-core + 4 E-core)	P-core 1.2GHz / E-core P-core 4.5GHz / E-core 0.9GHz		10MB	Intel UHD Graphics	
Core i5-1335U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E-core 0.9GHz	P-core 4.6GHz / E-core 3.4GHz	12MB	Intel Iris® Xe Graphics
Core i5-1345U	10 (2 P-core + 8 E-core)	119 1		12MB	Intel Iris Xe Graphics	
Core i7-1355U	ore i7-1355U 10 (2 P-core + 8 E-core) 12		P-core 1.7GHz / E-core 1.2GHz	P-core 5.0GHz / E-core 3.7GHz	12MB	Intel Iris Xe Graphics
Core i7-1365U	10 (2 P-core + 8 E-core)	12	P-core 1.8GHz / E-core 1.3GHz	P-core 5.2GHz / E-core 3.9GHz	12MB	Intel Iris Xe Graphics

# **Operating System**

## Operating System\*\*

- Ubuntu Linux[1]
- Windows® 11 DG Windows 10 Pro 64<sup>[2]</sup>
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- · No operating system

### Notes:

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

[2] Windows 11 DG Windows 10 Pro 64 is for special bid only.

## **Graphics**

# Graphics\*\*

Graphics	Туре	Memory	TGP	Key Features
Intel UHD Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1
Intel Iris Xe Graphics	Integrated	Shared	Share CPU TDP	DirectX 12.1

# **Monitor Support**

# **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™)

- HDMI supports up to 3840x2160@60Hz
- USB-C supports up to 5120x3200@60Hz
- Thunderbolt supports up to 5120x3200@60Hz

## **Chipset**

#### Chipset

Intel SoC (System on Chip) platform

## **Memory**

# **Max Memory**

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable



### **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

Memory Type[1]

LPDDR5-4800

Notes:

[1] Installed memory is actually 6400MHz but run at 4800MHz due to platform limitation.

## **Storage**

### Storage Support[1]

One drive, up to 1TB M.2 2242 SSD

#### **Storage Slot**

One M.2 2242 PCIe® 4.0 x4 slot

### **Storage Type**

	Disk Type	Interface	Offering	Security
1	M.2 2242 SSD	PCIe NVMe®, PCIe 4.0 x4	256GB / 512GB / 1TB	Opal 2.0

### Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

## Removable Storage

#### **Card Reader**

No card reader

### Multi-Media

## **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

## **Speakers**

Stereo speakers, 2W x2, Dolby® Audio™ Premium

### Microphone

Dual-microphone array, far-field, Dolby Voice

#### Camera\*\*

- FHD 1080p + IR hybrid, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus
- HD 720p, with privacy shutter, fixed focus

## **Battery**

### **Battery**

Integrated Li-Polymer 46Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

### Battery Life[1]

Configuration 1 (max battery life)

MobileMark® 25: up to 10.61 hr with 621 performance score @250nits

JEITA 2.0: up to 20.03 hr @150nits

Local video playback: up to 16.71 hr @150nits

### Alternate configuration 2

MobileMark 25: up to 10.16 hr with 705 performance score @250nits

JEITA 2.0: up to 16.21 hr @150nits

Local video playback: up to 14.9 hr @150nits

### Alternate configuration 3

MobileMark 25: up to 9.6 hr with 709 performance score @250nits

JEITA 2.0: up to 14.21 hr @150nits

Local video playback: up to 12.9 hr @150nits

# ThinkPad L13 Gen 4 (Intel)



#### Notes:

[1] Configuration 1 (max battery life): WUXGA (non-touch), Intel i3-1315U, 8GB LPDDR5, Win 11, 46Wh battery, best power efficiency power mode

Alternate configuration 2: WUXGA (touch), Intel i5-1345U, 16GB LPDDR5, Win 11, 46Wh battery, best power efficiency power mode

Alternate configuration 3: WUXGA (touch), Intel i7-1365U, 32GB LPDDR5, Win 11, 46Wh battery, best power efficiency power mode

All battery life claims are approximate maximum and based on results using MobileMark 25, JEITA 2.0, continuous 1080p local video playback (using default Media Player in Fullscreen mode with 150nits brightness and default volume level), or Google Power Load Test (PLT) battery-life benchmark tests.

Actual battery life will vary depending on many factors such as product configuration, software, wireless functionality, power management settings, and screen brightness.

The maximum capacity of the battery will decrease with time, ambient temperature and use.

Refer to Microsoft® link for more information about the Windows Performance power slider.

## **Power Adapter**

### Power Adapter\*\*[1]

- 45W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter<sup>[2]</sup>

### Notes:

- [1] AC adapter offerings depend on the country.
- [2] No power adapter is for special bid only.

## **DESIGN**

## **Display**

### Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
13.3"	WUXGA (1920x1200)	None	IPS	300nits	Anti- glare	16:10	800:1	45% NTSC	60Hz	85°/85°/85°/85°	-
13.3"	WUXGA (1920x1200)	None	IPS	300nits	Anti- glare	16:10	1000:1	100% sRGB	60Hz	85°/85°/85°/85°	-
13.3"	WUXGA (1920x1200)	Multi- touch	IPS	300nits	Anti- glare	16:10	1000:1	72% NTSC	60Hz	85°/85°/85°/85°	-
13.3"	WUXGA (1920x1200)	None	IPS	400nits	Anti- glare	16:10	1500:1	100% sRGB	60Hz	89°/89°/89°/89°	Low power, TÜV Low Blue Light

## Touchscreen

- · On-cell multi-touch, supports 10-point touch
- · Non-touch

### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## **Input Device**

### Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

## **Keyboard Backlight**

# ThinkPad L13 Gen 4 (Intel)



- · LED backlight
- · Non-backlight

## UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad, 56 x 115 mm (2.24 x 4.53 inches)

## Mechanical

## Dimensions (WxDxH)[1]

305 x 218 x 17.23 mm (12.0 x 8.58 x 0.68 inches)

### Weight<sup>[2]</sup>

Starting at 1.26 kg (2.78 lbs)

#### Case Color\*\*

- Storm grey
- · Thunder black

#### **Case Material**

Aluminium (top), GFRP (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

## Network

### Ethernet[1]

No onboard Ethernet

## WLAN + Bluetooth®\*\*

- Intel Wi-Fi® 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2<sup>[2]</sup>
- Intel Wi-Fi 6E AX211, 802.11ax 2x2 Wi-Fi + Bluetooth 5.3<sup>[3]</sup>

#### WWAN\*\*

- Wireless WAN upgradable to 4G (with antenna ready)
- Quectel EM05-G, 4G LTE CAT4, M.2 card, with embedded eSIM functionality
- Fibocom L860-GL-16, 4G LTE CAT16, M.2 card, with embedded eSIM functionality
- No support

### SIM Card

No physical SIM card inbox

#### NFC

- · Near Field Communication
- No support

### Notes:

- [1] Ethernet support via optional Lenovo USB-C to Ethernet Adapter.
- [2] Wi-Fi 6 full features might be limited by country-level restrictions.

Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

[3] Wi-Fi 6E full features might be limited by country-level restrictions.

Wi-Fi 6E is only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.

6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.

Bluetooth 5.3 operation requires Windows 11. For more information please see <u>General Bluetooth Support Information on Microsoft</u>.

## **Ports**<sup>[1]</sup>

#### **Standard Ports**

• 1x USB 3.2 Gen 1

# ThinkPad L13 Gen 4 (Intel)



- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x Thunderbolt 4 / USB4 $^\circ$  40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort 1.4)
- 1x HDMI 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)

#### **Optional Ports**

- 1x Smart card reader
- 1x Nano-SIM card slot (WWAN support models)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s:

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s.

## **Docking**

### **Docking**

Various docking solutions supported via Thunderbolt or USB-C.

For more compatible docking solutions, please visit Docking for ThinkPad® L13 Gen 4 (Intel)

### **Monitor Cable**

## Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter
- Lenovo USB-C to HDMI Adapter
- Lenovo USB-C to DisplayPort Adapter
- · No monitor cable

## **SECURITY & PRIVACY**

## **Security**

### **Security Chip**

Discrete TPM 2.0, TCG certified, FIPS 140-2 certified

## **Physical Locks**

Kensington® Nano Security Slot™, 2.5 x 6 mm

### **Smart Card Reader**

- Smart card reader
- No smart card reader

## Fingerprint Reader

- Touch style fingerprint reader integrated in power button, match-on-chip
- No fingerprint reader

## **BIOS Security**

- Power-on password
- Supervisor password
- NVMe password
- Self-healing BIOS

### **Other Security**

- Camera privacy shutter
- (Optional) IR camera for Windows Hello

## MANAGEABILITY



## **System Management**

### **System Management**

- Intel vPro® Enterprise[1]
- Non-vPro

Notes:

[1] Intel vPro offers a superset of DASH's defined capabilities.

## **SERVICE**

## Warranty

## Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service

## **ENVIRONMENTAL**

## **Sustainability**

# Material

30% PCC recycled plastic used in top cover frame material

50% PCC recycled plastic used in speaker enclosure

90% PCC recycled plastic used in the battery pack

90% PCC recycled plastic used in standard adapter

Low-temperature solder

90% recycled and/or sustainable packaging

## **Operating Environment**

### Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## **ACCESSORIES**

## **Bundled Accessories**

### **Bundled Accessories**\*\*\*[1]

- Lenovo USB-C to Ethernet Adapter (1Gbps)
- Lenovo USB-C to USB-A Adapter
- Lenovo USB-C to USB-C Cable 2m
- None

#### Notes:

[1] For more compatible accessory solutions, please visit Accessories for ThinkPad L13 Gen 4 (Intel)



# **CERTIFICATIONS**

## 

### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Gold Registered<sup>[2]</sup>
- ErP Lot 6
- ErP Lot 26
- · RoHS compliant
- TCO Certified 9.0

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

## **Other Certifications**

### Mil-Spec Test

MIL-STD-810H military test passed

### **Other Certifications**

(Optional) TÜV Rheinland® Low Blue Light (Hardware Solution)

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













