## **OVERVIEW**



1. SD card reader	6. USB 3.2 Gen 1 (Always On)
2. USB 3.2 Gen 1	7. HDMI
3. Ethernet (RJ-45)	8. Thunderbolt 4
4. Kensington Nano Security Slot	9. Headphone / microphone combo jack (3.5mm)
5. USB-C 3.2 Gen 2	

# PERFORMANCE

## Processor

## **Processor Family**

## 13th Generation Intel® U, P or H Series Core™ i3 / i5 / i7 Processor

## Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i3-1315U	6 (2 P-core + 4 E- core)	8	P-core 1.2GHz / E-core 0.9GHz	P-core 4.5GHz / E-core 3.3GHz	10MB	Intel UHD Graphics
Core i5-1335U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E-core 0.9GHz	P-core 4.6GHz / E-core 3.4GHz	12MB	Intel Iris® Xe Graphics <sup>[1]</sup>
LOTA 15-154UP		P-core 1.9GHz / E-core P-core 4.6GHz / E-cor 1.4GHz 3.4GHz		12MB	Intel Iris Xe Graphics <sup>[2]</sup>	
Core i5- 13500H	12 (4 P-core + 8 E-core)	16	P-core 2.6GHz / E-core 1.9GHz	P-core 4.7GHz / E-core 3.5GHz	18MB	Intel Iris Xe Graphics <sup>[3]</sup>
Core i7-1355U			P-core 1.7GHz / E-core 1.2GHz			Intel Iris Xe Graphics <sup>[4]</sup>
Core i7-1360P	i7-1360P 12 (4 P-core + 8 E-core) 16 P-core 2.2GHz / E-core 1.6GHz		P-core 5.0GHz / E-core 3.7GHz		Intel Iris Xe Graphics <sup>[5]</sup>	
Core i7- 13700H	14 (6 P-core + 8 E-core)	20	P-core 2.4GHz / E-core 1.8GHz	P-core 5.0GHz / E-core 241 3.7GHz		Intel Iris Xe Graphics <sup>[6]</sup>

#### Notes:

[1], [2], [3], [4], [5], [6] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

## **Operating System**

#### **Operating System**\*\*

- Ubuntu Linux<sup>[1]</sup>
- Windows® 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

#### Notes:

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

## Graphics

#### Graphics\*\*

Graphics	Туре	Memory	TGP	Key Features
Intel UHD Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1
Intel Iris Xe Graphics <sup>[1]</sup>	Integrated	Shared	Share CPU TDP	DirectX 12.1

#### Notes:

[1] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with singlechannel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

## **Monitor Support**

#### **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI<sup>®</sup>, USB-C<sup>®</sup> and Thunderbolt<sup>™</sup>) • HDMI supports up to 3840x2160@60Hz

• USB-C supports up to 5120x3200@60Hz

Lenovo

• Thunderbolt supports up to 5120x3200@60Hz

## Chipset

#### Chipset

Intel SoC (System on Chip) platform

## Memory

#### Max Memory<sup>[1]</sup>

Up to 64GB DDR5-5200

#### Memory Slots

Two DDR5 SO-DIMM slots, dual-channel capable

Memory Type

DDR5-5200

Notes:

[1] Maximum memory is only to test technical readiness of notebook. Available memory to sell would vary.

## Storage

#### Storage Support<sup>[1]</sup>

Up to two drives, 2x M.2 SSD • M.2 2242 SSD up to 1TB • M.2 2280 SSD up to 2TB

#### Storage Slot

Two M.2 2280 PCIe® 4.0 x4 slots

#### Storage Type\*\*\*

Disk Type	Interface	Offering		
M.2 2242 SSD	PCIe NVMe®, PCIe 4.0 x4	256GB / 512GB / 1TB		
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	512GB / 1TB		

#### Notes:

[1] The system supports dual SSD via two M.2 slots, but Lenovo® only offers one SSD configuration, another SSD slot for user self-extension.

The max storage capacity is only technical readiness and may be different with current Lenovo storage offerings.

## **Removable Storage**

#### Card Reader

SD card reader

### **Multi-Media**

#### Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

## Speakers

Stereo speakers, 2W x2, Dolby® Audio™

#### Microphone

Dual-microphone array with smart noise-cancelling

#### Camera\*\*

- FHD 1080p + IR hybrid, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus
- HD 720p, with privacy shutter, fixed focus

## Battery

### Battery\*\*

- Integrated Li-Polymer 45Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)
- Integrated Li-Polymer 60Wh battery, supports Rapid Charge (charge up to 80% in 1hr)

#### Max Battery Life<sup>[1]</sup>

- Models with 45Wh battery: MobileMark® 2018: 9.03 hr MobileMark 25: 8.68 hr Local video (1080p) playback@150nits: 13.78 hr
- Models with 60Wh battery: MobileMark 2018: 11.4 hr MobileMark 25: 12.1 hr Local video (1080p) playback@150nits: 16.53 hr

#### Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark 2018, MobileMark 25, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

#### Power Adapter\*\*[1]

- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 100W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

## **Special Features**

**Special Features** 

Modern Standby

## DESIGN

## Display

#### Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
14″	WUXGA (1920x1200)	None	IPS	300nits	Anti- glare	16:10	1000:1	45% NTSC	60Hz	89°/89°/89°/89°	TÜV Low Blue Light (Software)
14″	WUXGA (1920x1200)	Multi- touch	IPS	300nits	Anti- glare	16:10	1000:1	45% NTSC	60Hz	89°/89°/89°/89°	TÜV Low Blue Light (Software)
14″	WUXGA (1920x1200)	None	IPS	300nits	Anti- glare	16:10	1000:1	100% sRGB	60Hz	89°/89°/89°/89°	Eyesafe® Certified 2.0
14″	2.2K (2240x1400)	None	IPS	300nits	Anti- glare	16:10	1200:1	100% sRGB	60Hz	89°/89°/89°/89°	Eyesafe Certified 2.0

#### Touchscreen

• Add-on Film Touch, supports 10-point touch

• Non-touch

#### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

#### Input Device

#### Keyboard

6-row, spill-resistant, multimedia Fn keys

#### Keyboard Backlight

- LED backlight
- Non-backlight

### Touchpad

Buttonless Mylar<sup>®</sup> surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

## Mechanical

#### Dimensions (WxDxH)[1]

313.5 x 224 x 16.9 mm (12.34 x 8.82 x 0.67 inches)

#### Weight<sup>[2]</sup>

Starting at 1.38 kg (3.04 lbs)

#### Case Color

Arctic grey, dual-tone design

#### Surface Treatment

Anodizing sandblasting

#### **Case Material**

Aluminium (top), aluminium (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

#### Ethernet\*\*[1]

- Gigabit Ethernet, Intel Ethernet Connection I219-LM (vPro® models), 1x RJ-45, supports Wake-on-LAN
- Gigabit Ethernet, Intel Ethernet Connection I219-V (non-vPro models), 1x RJ-45, supports Wake-on-LAN

#### WLAN + Bluetooth®\*\*[2]

- Wi-Fi<sup>®</sup> 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card<sup>[3]</sup>
- Wi-Fi 6E, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card<sup>[4]</sup>

#### Notes:

[1] Wake-on-LAN needs the power adapter plugged in.

[2] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

[3] Wi-Fi 6 full features might be limited by country-level restrictions.

[4] Wi-Fi 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.

#### **Ports**<sup>III</sup>

#### Standard Ports

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x Thunderbolt 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort 1.4)
- 1x HDMI 2.1, up to 4K/60Hz
- 1x SD card reader
- 1x Ethernet (RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)

Notes:

Lenovo

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4 40Gbps (USB 40Gbps): 40 Gbit/s; Thunderbolt 3/4: 40 Gbit/s.

## Docking

#### Docking

Various docking solutions supported via Thunderbolt or USB-C. For more compatible docking solutions, please visit <u>Docking for ThinkBook 14 G6 IRL</u>

## **SECURITY & PRIVACY**

### Security

#### Security Chip

Firmware TPM 2.0 integrated in SoC

#### **Physical Locks**

Kensington<sup>®</sup> Nano Security Slot<sup>™</sup>, 2.5 x 6 mm

#### Fingerprint Reader

Touch style fingerprint reader integrated in smart power button

#### **BIOS Security**

- Power-on password
- Supervisor password
- Hard disk password
- Self-healing BIOS

#### **Other Security**

- Camera privacy shutter
- (Optional) IR camera for Windows Hello

## MANAGEABILITY

## **System Management**

#### System Management

- Intel vPro Essentials<sup>[1]</sup>
- Non-vPro

Notes:

[1] Intel vPro offers a superset of DASH's defined capabilities.

# SERVICE

## Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 2-year (1-yr battery) courier or carry-in service

## **ENVIRONMENTAL**

### **Sustainability**

Material

Lenovo

25% PCC recycled plastic used in the battery 50% PCC recycled plastic used in key caps 90% PCC recycled plastic used in standard 65W and 100W adapter 95% recycled content in PIC cushion 30% recycled content in OBP bag FSC certified content in carton box

## **Operating Environment**

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
- Operating: 5°C to 35°C (41°F to 95°F)
- Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
- Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

# ACCESSORIES

## **Bundled Accessories**

#### Bundled Accessories<sup>[1]</sup>

- Lenovo 15.6" laptop casual toploader, polyester
- None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for ThinkBook 14 G6 IRL.

# CERTIFICATIONS

### **Green Certifications**<sup>11</sup>

#### Green Certifications

- (Optional) ENERGY STAR<sup>®</sup> 8.0
- (Optional) EPEAT<sup>™</sup> Gold Registered<sup>[2]</sup>
- ErP Lot 6
- ErP Lot 26
- FSC certified package
- RoHS compliant
- TCO Certified 9.0<sup>[3]</sup>

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration.

[2] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

[3] TCO certification is NOT available in India and Brazil.

## **Other Certifications**

#### **Mil-Spec Test**

MIL-STD-810H military test passed

#### **Other Certifications**

- (Optional) Intel Evo™ Platform
- (Optional) Eyesafe Certified 2.0

Lenovo

- (Optional) TÜV Rheinland® Low Blue Light (Hardware Solution)
- (Optional) TÜV Rheinland Low Blue Light (Software Solution)
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.











