



Part No 90NB10V2-M00HU0	
Sales Model Name X1704VA-AU491X	
EAN Code	
UPC Code	
WEEE	
BASE UNIT VSNB10V2-BU1100	
Marketing Name ASUS Vivobook 17	
Operating System Windows 11 Pro - ASUS recommends Windows 11 Pro for business	
Office 1-month trial for new Microsoft 365 customers. Credit card required.	
LCD cover-material Plastic	
LCD cover-color Quiet Blue	
Top case-material Plastic	
Top case-color Quiet Blue	
Keyboard color Black	
Bottom case-material Plastic	
Bottom case-color Quiet Blue	
Military grade US MIL-STD 810H military-grade standard	
Touch Panel Non-touch screen	
Panel Size 17.3-inch	
Resolution FHD (1920 x 1080) 16:9 aspect ratio	
LED Backlit Unit LED Backlit	
IPS-level Panel	
Refresh rate 60Hz refresh rate	
Brightness 250nits	
Color gamut 45% NTSC color gamut	
Glare Anti-glare display	
Screen-to-body ratio 86%	
Processor Intel® Core™ i7-1355U Processor 1.7 GHz (12MB Cache, up to 5.0 GHz, 10 cores, 12 Threads)	
Chipset N/A	
Discrete/Share Share	
Intergrated GPU Intel Iris X <sup>e</sup> Graphics	
Disclaimer for Intel Iris Xe *Intel Iris Xe Graphics is only available in models with Intel® Core™ i5/i7/i9 processors and dumenory.	al-channel
Graphic Memory N/A	
Expansion Slot(includes used) 1x DDR4 SO-DIMM slot	
1x M.2 2280 PCIe 4.0x4	

On board memory 8GB DDR4 on board DIMM Memory 8GB DDR4 SO-DIMM Total System Memory DDR4 16GB Disclaimer for memory \*Dual-channel memory support requires at least one SO-DIMM module. How to upgrade memory Upgradable; Need to remove bottom/top case Storage 512GB M.2 NVMe™ PCIe® 4.0 SSD Front-facing camera 720p HD camera; With privacy shutter Wireless Wi-Fi 6E(802.11ax) (Dual band) 1\*1 + Bluetooth® 5.3 Wireless Card (\*Bluetooth® version may change with OS version different.) Keyboard type Chiclet Keyboard with Num-key **Touchpad Precision touchpad** FingerPrint N/A I/O ports 1x USB 2.0 Type-A 1x USB 3.2 Gen 1 Type-C 2x USB 3.2 Gen 1 Type-A 1x HDMI 1.4 1x 3.5mm Combo Audio Jack 1x DC-in Audio SonicMaster **Built-in speaker Built-in array microphone** Voice control with Cortana voice-recognition support Power ø4.5, 45W AC Adapter, Output: 19V DC, 2.37A, 45W, Input: 100~240V AC 50/60Hz universal Battery 50WHrs, 3S1P, 3-cell Li-ion Replaceable Battery No Dimension (W x H x D) 39.93 x 25.43 x 1.99 ~ 1.99 cm (15.72" x 10.01" x 0.78" ~ 0.78") Weight (with Battery) 2.10 kg (4.63 lbs) Weight (without Battery) 2.10 kg (4.63 lbs) Antivirus McAfee® 30 days free trial Security McAfee® **BIOS Booting User Password Protection Trusted Platform Module (Firmware TPM)** MyASUS feature System diagnosis **Battery health charging Fan Profile Splendid** Tru2Life **Function key lock** WiFi SmartConnect **Link to MyASUS TaskFirst** Live update **Al Noise Canceling Built-in Apps MyASUS** ScreenXpert GlideX **Ecolabels & Compliances EPEAT Silver Energy star 8.0 RoHS REACH** Reparability Index (for France) 8.0